

Entertainment Services and
Technology Association



American National Standard
E1.5 - 2009
Entertainment Technology -
Theatrical Fog Made With Aqueous Solutions
of Di- And Trihydric Alcohols
(a revision of ANSI E1.5 - 2003)

[inside front cover]

Entertainment Services and Technology Association



American National Standard E1.5 - 2009 Entertainment Technology — Theatrical Fog Made With Aqueous Solutions Of Di- And Trihydric Alcohols

F&S/1997-3017r9

This standard was approved as an American National Standard on 14 September 2009
by the American National Standards Institute's Board of Standards Review.

Copyright 2009 by ESTA, the Entertainment Services and Technology Association.
All rights reserved.

[This page is intentionally blank.]

Notice and Disclaimer

The Entertainment Services and Technology Association does not approve, inspect, or certify any installations, procedures, equipment or materials for compliance with codes, recommended practices or standards. Compliance with an ESTA standard or recommended practice, or an American National Standard developed by ESTA is the sole and exclusive responsibility of the manufacturer or provider and is entirely within their control and discretion. Any markings, identification or other claims of compliance do not constitute certification or approval of any type or nature whatsoever by ESTA.

ESTA neither guarantees nor warrants the accuracy or completeness of any information published herein and disclaim liability for any personal injury, property or other damage or injury of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document.

In issuing and distributing this document, ESTA does not either (a) undertake to render professional or other services for or on behalf of any person or entity, or (b) undertake any duty to any person or entity with respect to this document or its contents. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstance.

Published by:

Entertainment Services and Technology Association
875 Sixth Avenue, Suite 1005
New York, NY 10001 USA
Phone: 1-212-244-1505
Fax: 1-212-244-1502
standards@esta.org
<http://www.esta.org/>

For additional copies of this document contact:

ESTA Publications
The ESTA Foundation
875 Sixth Avenue, Suite 1005
New York, NY 10001 USA
Phone: 1-212-244-1505
Fax: 1-212-244-1502
<http://www.estafoundation.org>

The ESTA Technical Standards Program

The ESTA Technical Standards Program was created to serve the ESTA membership and the entertainment industry in technical standards related matters. The goal of the Program is to take a leading role regarding technology within the entertainment industry by creating recommended practices and standards, monitoring standards issues around the world on behalf of our members, and improving communications and safety within the industry. ESTA works closely with the technical standards efforts of other organizations within our industry, including USITT, PLASA, and VPLT, as well as representing the interests of ESTA members to ANSI, UL, and the NFPA. The Technical Standards Program is accredited by the American National Standards Institute.

The Technical Standards Committee (TSC) was established by ESTA's Board of Directors to oversee and coordinate the Technical Standards Program. Made up of individuals experienced in standards-making work from throughout our industry, the Committee approves all projects undertaken and assigns them to the appropriate working group. The Technical Standards Committee employs a Technical Standards Manager to coordinate the work of the Committee and its working groups as well as maintain a "Standards Watch" on behalf of members. Working groups include: Camera Cranes, Control Protocols, Electrical Power, Floors, Fog and Smoke, Followspot Position, Photometrics, and Rigging.

ESTA encourages active participation in the Technical Standards Program. There are several ways to become involved. If you would like to become a member of an existing working group, as have over two hundred people, you must complete an application which is available from the ESTA office. Your application is subject to approval by the working group and you will be required to actively participate in the work of the group. This includes responding to letter ballots and attending meetings. Membership in ESTA is not a requirement. You can also become involved by requesting that the TSC develop a standard or a recommended practice in an area of concern to you.

The Fog & Smoke Working Group, which authored this standard, consists of a cross section of entertainment industry professionals representing a diversity of interests related to fog and special effects for theatrical events. ESTA is committed to developing consensus-based standards in an open setting. Future Fog & Smoke Working Group projects will include updating this publication as changes in technology and experience warrant, as well as developing new standards and recommended practices for the benefit of the entertainment industry.

Contact Information

Entertainment Services and Technology Association

Karl G. Ruling
Technical Standards Manager
ESTA
875 Sixth Avenue, Suite 1005
New York, NY 10001
Phone: 1-212-244-1505
FAX: 1-212-244-1502
standards@esta.org

Technical Standards Committee Chairperson

Mike Garl
James Thomas Engineering, Inc.
10240 Caneel Drive
Knoxville, TN 37931
Phone: 1-865-692-3060
FAX: 1-865-692-9020
mikeg@jthomaseng.com

Fog & Smoke Working Group Chairpersons

Larry Schoeneman
Designlab Chicago, Inc.
328 N. Albany Avenue
Chicago, IL 60612
1-773-265-1100 x13
1-773-265-0800
Larry@dlabchicago.net

M. Brad Dittmer
Downhome Productions
1112 Eaglecrest Street
Nixa, MO 65714
1-417-724-8778
1-417-724-8777
bdittmer@downhomeproductions.com

Acknowledgments

The Fog & Smoke Working Group was the consensus body for the development of this standard. The working group's membership and company affiliations at the time the working group approved this standard on 18 March 2009 are listed below:

Voting Members

Ron Bonner; PLASA [G]
 Patrick Boyd; Jauchem & Meeh, Inc. [DR]
 M. Brad Dittmer; Downhome Productions [U]
 Ulrich Borup Hansen; Martin Professional A/S [MP]
 Wendy Holt; Alliance of Motion Picture and Television Producers [U]
 Edwin S. Kramer; I.A.T.S.E. Local 1 [U]
 Greg Meeh; Jauchem & Meeh, Inc. [DR]
 Martin Michaud; MDG Fog Generators Ltd. [MP]
 Larry Schoeneman; Designlab Chicago, Inc. [DR]
 Eric Tishman; Rosco Laboratories [MP]
 Mike Wood; Mike Wood Consulting LLC [G]

Observer Members (Non-voting)

Robert Barbagallo; Solotech Inc. [U]
 Marty Clausen; Safety & Health in Arts Production Entertainment [G]
 Jim Cooper; Palomar College, representing USITT [U]
 Gary Crawford; C I T C [MP]
 Mark Elliott; Walt Disney Company [U]
 Gary Fails; City Theatrical, Inc. [MP]
 Lowell Fowler; High End Systems Inc. [MP]
 Douglas Franz; QVC Network [U]
 Reuben Goldberg; Technic Services [U]
 Jerry Gorrell; Theatre Safety Programs [G]
 Kent H. Jorgensen; IATSE Local 80 [G]
 Nathan Kahn; Look Solutions USA Ltd. [MP]
 Stephanie Kelly; Phoenix Stages/Convention Center, the City of Phoenix [G]
 Thomas V. Korder; Krannert Center for the Performing Arts, the University of Illinois [U]
 Peggy Lee Martindale; University of Texas, Austin [G]
 Don Phillips; Le Maitre Special Effects [MP]
 Julie Rogers; City of Phoenix Civic Plaza [G]
 Monona Rossol; Arts, Crafts & Theater Safety [G]
 Adrian Segeren; Le Maitre Special Effects [MP]
 Marnie Styles; Le Maitre Special Effects [MP]
 Stephen Vanciel [U]
 Florian von Hofen; VPLT [G]
 Colin Waters; TMB [G]
 Norman Wright; Group One [DR]

[CP] Custom-market producer
 [MP] Mass-market producer
 [DR] Dealer or rental company
 [U] User
 [G] General interest

Contents

Notice and Disclaimer	i
Contact Information	iii
Acknowledgments	iv
Contents	v
1 Scope	1
2 Definitions	1
3 Requirements	1
3.1 Components	1
3.2 Concentrations	2
3.2.1 Long-term exposure	2
3.2.2 Peak exposure	2
3.3 Decomposition products	2
3.4 Contaminants	2

1 Scope

This standard describes the composition of theatrical fogs or artificial mists that are not likely to be harmful to otherwise healthy performers, technicians, or audience members of normal working age, which is 18 to 64 years of age, inclusive. This standard makes no statement about appropriate exposure limits for theatrical fogs or artificial mists with other populations, and no limits, higher, lower, or the same as these limits, for other populations should be inferred from it. This standard is limited to those fogs and mists made from a solution of water and one or more dihydric or trihydric alcohols. These fogs are commonly called "glycol fogs," although only those that use dihydric alcohols are technically made with glycol.

This standard is intended to be applied in theatres, arenas, and other places of entertainment or public assembly where theatrical fogs and mists are often used as visual effects or to enhance lighting effects in live performances such as dramatic productions, musicals, and popular music concerts. It may be used as a guidance document in other venues where the exposed population is similar to that defined in this scope and where the respiratory and vocal demands on the population are not greater than those placed on performers, technicians, or audience members participating in dramatic productions, musicals, or popular music concerts.

2 Definitions

2.1 aerosol: a suspension of small particles in a gas or air.

2.2 CAS number (CAS #): a Chemical Abstracts Service number that identifies a specific chemical or mixture of chemicals.

2.3 dihydric alcohol: an alcohol that has two hydroxyl groups.

2.4 fog: a liquid aerosol in air that reduces visibility and reflects light.

2.5 glycerin: a trihydric alcohol composed of a chain of three carbon atoms linked by single covalent bonds, with each carbon atom linked to one hydroxyl group and one or more hydrogen atoms. Also called "glycerol."

2.6 glycol: a dihydric alcohol, an organic compound with a molecular structure having two hydroxyl groups.

2.7 hydroxyl group: a molecular group containing one hydrogen and one oxygen atom.

2.8 mist: a liquid aerosol, not as optically dense as fog, but with larger droplets.

2.9 STEL: Short Term Exposure Limit. The maximum exposure level averaged over a short term, generally 15 minutes.

2.10 trihydric alcohol: an alcohol that has three hydroxyl groups.

2.11 TWA: Time Weighted Average. Exposure level averaged over an 8-hour period.

3 Requirements

3.1 Components

The following dihydric and trihydric alcohols are components that may be used with water in a fog or mist that meets the requirements of this standard:

Name	CAS #
triethylene glycol	112-27-6
monopropylene glycol (propylene glycol; 1,2-propanediol)	57-55-6
diethylene glycol	111-46-6
dipropylene glycol	25265-71-8, 106-62-7, 110-98-5, 108-61-2
1,2-butylene glycol (1,2-butanediol)	584-03-2
1,3-butylene glycol (1,3-butanediol)	107-88-0
glycerin (glycerol; 1,2,3- propanetriol)	56-81-5

Fogs produced with chemicals not on the above list, including coloring agents, scents, and bactericide additives, are not necessarily considered a health risk, but do not meet the requirements of this standard.

3.2 Concentrations

3.2.1 Long-term exposure

A theatrical fog produced with a mixture of deionized water and one or more dihydric or trihydric alcohols shall be considered to meet the requirements of this standard if the concentration of alcohols breathed by a worker or audience member is no greater than 10 milligrams per cubic meter, time weighted average (TWA), and if the alcohols used are from the list in Section 3.1. This maximum TWA concentration level applies to the total alcohol concentration, whether one or several alcohols are used.

3.2.2 Peak exposure

A theatrical fog produced with a mixture of deionized water and one or more dihydric or trihydric alcohols shall be considered to meet the requirements of this standard if the concentration of alcohols in the air breathed by a worker or audience member is never higher than 40 milligrams per cubic meter, and if the alcohols used are from the list in Section 3.1. This maximum concentration level applies to the total alcohol concentration, whether one or several alcohols are used.

A theatrical fog produced with a mixture of deionized water and trihydric alcohol (glycerin) alone shall be considered to meet the requirements of this standard if the concentration of alcohol in the air breathed by a worker or audience member is never higher than 50 milligrams per cubic meter.

3.3 Decomposition products

The maximum TWA and STEL of formaldehyde, acrolein, acetaldehyde and other possible hazardous products of thermal degradation of the above compounds shall be present only at levels below the lowest permissible level set by governing occupational health and safety authority, such as the Occupational Safety and Health Administration in the United States of America or the Health and Safety Executive in the United Kingdom.

3.4 Contaminants

Contaminants, such as acetone and ethylene glycol, which may be present in bulk alcohol stock and thus may be in fog fluid, shall be present in fog only at levels below the lowest permissible level set by governing occupational health and safety authority, such as the Occupational Safety and Health Administration in the United States of America or the Health and Safety Executive in the United Kingdom.